

Rodenticides

Product Name	EPA Reg. No.	Active Ingredient(s)	Read the label, use products only for labeled uses, and be aware of the following:
<i>Fastrac All-Weather Blox</i> <i>Rampage All-Weather Bait</i> <i>Chunx</i>	12455-95 12455-95-3240	bromethalin	Any person who handles bait or retrieves carcasses must use gloves. This product is harmful if swallowed, and it's extremely toxic to mammals, birds, and fish. Tamper-resistant bait stations are required for certain locations; read the label. Protect bait from rain or snow.
<i>Tomcat Rat Killer II</i>	12455-140	bromethalin	Any person who handles bait or retrieves carcasses must use gloves. This product is harmful if swallowed, and it's extremely toxic to mammals, birds, and fish. Tamper-resistant bait stations are required for certain locations; read the label.
<i>Generation Mini Blocks Hombre</i> <i>Mini Blocks</i>	7173-218	difethialone	This product poses a significant risk to wildlife and pets that may eat sickened rodents. Be sure to employ other options, such as trapping, before using this product. This product may only be used in and around (within 100 feet) of man-made structures to control Norway rats, roof rats, and house mice. For all outdoor uses, bait stations are mandatory. If applied indoors where children pets, non-target mammals, or birds could gain access, tamper-resistant bait stations are required. Harmful if swallowed or absorbed through skin. This product causes moderate eye irritation. People who handle the product and/or rodent carcasses must wear waterproof gloves.

<i>Kaput Mouse Blocks</i>	72500-7	warfarin	All handlers must wear gloves, including handlers of retrieved carcasses or unused bait. This product is extremely toxic to mammals and birds. It may only be applied in places inaccessible to children, pets, domestic pets, and non-target wildlife, Orin tamper-resistant bait stations. Bait stations are mandatory for outdoor, above-ground use.
<i>Brigand SB Soft Bait Rodenticide</i>	87235-1	bromadiolone	This product poses a significant risk to wildlife and pets that may eat sickened rodents. Be sure to employ other options, such as trapping, before using this product. This product may only be used in and around (within 100 feet) of man-made structures to control Norway rats, roof rats, and house mice. For all outdoor uses, bait stations are mandatory. If applied indoors where children pets, non-target mammals, or bids could gain access, tamper-resistant bait stations are required.

Herbicides

Product Name	EPA Reg. No.	Active Ingredient(s)	Read the label, use products only for labeled uses, and be aware of the following:
---------------------	---------------------	-----------------------------	---

Caseron 4G	400-168 400-168-59807	dichlobenil	Avoid contact with skin, eyes, or clothing. This product is harmful if inhaled. Chemical-resistant gloves are required for all activities. Users should change clothes immediately after handling this product. Application to sandy soils, particularly where the water table is shallow, could result in groundwater contamination. When working around desirable plants, do not allow granules to lodge in foliage, or accumulate in contact with tree trunks. Casoron comes in paper bags that are known to rip easily.
Roundup Promax Herbicide	524-579	glyphosate, potassium salt	Avoid contact with eyes or clothing. This product causes moderate eye irritation. Do not mix, store, or apply this product in galvanized steel or unlined steel (except stainless steel) containers.
Gallery 75 Dry Flowable Herbicide	62719-145	isoxaben	This product causes eye irritation, and it can be harmful if inhaled. When used in agriculture, this product requires a re-entry interval of 12 hours. Consider applying that same standard in your school setting. There is 'suggestive evidence' of carcinogenicity for the active ingredient, isoxaben. It meets the lawful criteria (not a 'likely' human carcinogen), but it's close. Take steps to minimize potential exposure.
Rodeo	62719-324	glyphosate, isopropylamine salt	Avoid breathing spray mist. This product is harmful if inhaled. Do not mix, store, or apply this product in galvanized steel or unlined steel (except stainless steel) containers.

Insecticides

Product Name	EPA Reg. No.	Active Ingredient(s)	Read the label, use products only for labeled uses, and be aware of the following:
<i>Advion Ant Gel</i>	352-746, also found as 100-1498	indoxacarb	Avoid contact with skin, eyes, or clothing. Do not use this product in or on electrical equipment where a possibility of shock hazard exists. In food handling areas, this product may only be applied as a crack and crevice treatment where you can be sure that food, utensils, and food handling surfaces won't become contaminated.
<i>Onslaught FastCap</i>	1021-2574	esfenvalerate, prallethrin, piperonyl butoxide	This product causes moderate eye irritation. Wear protective eyewear. Do not use this product in or on electrical equipment due to the possibility of shock hazard. This product is toxic to fish and other aquatic life. Do not discharge this product or equipment rinsate into water bodies without a permit (NPDES). If swallowed, do not induce vomiting. Do not repeat applications within 14 days of one another.
<i>Termidor SC</i>	7969-210	fipronil	Harmful if swallowed, absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. All handlers must wear chemical-resistant gloves. When working in an unventilated space, protective eyewear and a respirator are required. Do not apply indoors except for wall voids.
<i>Spectracide Wasp & Hornet Killer 4</i>	9688-141-8845	permethrin, tetramethrin, piperonyl butoxide	This product causes moderate eye irritation. Avoid contact with eyes or clothing. This product is also extremely toxic to aquatic life and bees. Do not contaminate water or blooming plants. Keep away from heat and flame(s). Never use indoors. Never allow the product to reach a drain, during or after application.

<i>Raid Wasp & Hornet Killer 33</i>	4822-553	cypermethrin, prallethrin	Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Keep the product away from fire, sparks and heated surfaces. Do not expose the container to temperatures above 130° F. The best time of day to treat the nests of flying insects is in the evening or early morning. Wait at least 24 hours before removing the nest. Do not contaminate food or utensils.
<i>Drione Insecticide</i>	432-992	pyrethrins, piperonyl butoxide, silica gel	This product causes moderate eye irritation, and it can be harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. All handlers must wear chemical-resistant gloves. Do not allow anyone to enter treated areas until dusts have settled.